


## HEADBOX DETAIL


### Exposed Mount




The headbox will be visible. This applies when there is no room for the headbox above the finished ceiling or when it's impossible to build a soffit. Also, the headbox can be installed directly above an opening, reducing the curtain drop when aesthetics is not critical.




### Shadow Gap



When the headbox is entirely hidden above the ceiling, the bottom bar can retract through an opening in the ceiling and be completely hidden, leaving only a shadow gap. Pay special attention to the bottom bar selected and the size of the opening required for the curtain to clear the opening. Large spans will require a larger aperture to allow the curtain to clear the gap without contact. Most often used with SD curtain.




### Flush to ceiling (Exposed)



This provides good aesthetics while allowing for simple installation and easy access to the headbox for installation and maintenance. Only the bottom of the headbox is exposed, and the unit can be powder coated to match the surrounding ceilings or walls.



### Flush to ceiling (Hidden)




This is similar to the shadow gap (above), although the bottom bar remains visible and does not fully retract through the ceiling opening. However, the headbox is fully hidden from sight. The bottom bar can be powder coated to match the ceiling color. The ceiling material needs to withstand the pressure of stopping the curtain in its resting position. This works with the FA model curtain.



## HEADBOX MOUNTING


### Wall Bracket



This is the most straightforward method of headbox mounting if there is enough wall space above the headbox assembly. The brackets can mount on concrete, CMU, or wood.



### Overhead Bracket




The headbox can be mounted overhead with or without a bracket. The unit can be attached directly to wood framing or concrete, or suspended from steel beams or a metal framing systems such as Unistrut.




**SIDE GUIDE DETAILS**

**Inside Mount**




For curtains mounted on the inside of an opening that will not have a niche framed in to hide the side guide.



**Wall Mount**


A





This is the most common side guide mount.

Option "A" is most common when the side guide will be hidden with framing


B



Option "B" is most common when the side guide will be exposed.



**Niche**



This is used when the side guide is hidden by framing inside a niche.

